

| L Number | Hits | Search Text | DB | Time stamp |
|---------------------|-------------|--|---|---------------------|
| 3 | 1 | | USPAT | 2004/07/21 11:50 |
| 4 | 1 | | USPAT | 2004/07/21 11:52 |
| 11 | 1 | | USPAT | 2004/07/21 12:25 |
| 12 | 1 | | USPAT | 2004/07/21 12:26 |
| 13 | 1 | | USPAT | 2004/07/21 12:26 |
| 14 | 1 | | USPAT | 2004/07/21 12:26 |
| 15 | 1 | | USPAT | 2004/07/21 12:26 |
| 21 | 26 | 718/108.ccls. and ((task or program or application or context or software) near3 switch\$4) and ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3) near3 (memor\$3 or register or stack or cache or resource)) and @py<2001 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/21 12:36 |
| - | 0 | "20020032758" | USPAT | 2004/07/07 15:08 |
| - | 1 | "20020032758" | USPAT; US-PGPUB | 2004/07/07 16:06 |
| - | 1 | 6314565.pn. | USPAT; US-PGPUB | 2004/07/09 08:55 |
| - | 253 | 718/108.ccls. | USPAT; US-PGPUB | 2004/07/09 08:56 |
| - | 116 | 718/108.ccls. and @py<2001 | USPAT; US-PGPUB | 2004/07/09 09:09 |
| - | 0 | ((task or program or application) adj switching) same ((free\$4 or releas\$4 or relinquish\$4) adj memory) same ((stor\$4 or sav\$4 or preserv\$4) adj3 state) | USPAT; US-PGPUB | 2004/07/09 11:12 |
| - | 0 | ((task or program or application) adj switching) same ((free\$4 or releas\$4 or relinquish\$4) adj memory) same ((stor\$4 or sav\$4 or preserv\$4) adj3 state) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/09 09:09 |
| - | 114 | (718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 adj3 state) | USPAT; US-PGPUB | 2004/07/09 11:06 |
| - | 20 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 adj3 state)) and ((task or program or application) adj2 switching) | USPAT; US-PGPUB | 2004/07/09 13:44 |
| - | 205 | palm.as. | USPAT; US-PGPUB | 2004/07/09 10:16 |
| - | 126 | palm.as. and button | USPAT; US-PGPUB | 2004/07/09 10:16 |
| - | 126 | (palm.as. and button) and py<2001 | USPAT; US-PGPUB | 2004/07/09 10:16 |

| | | | | |
|---|----|--|---------------------------------|---------------------|
| - | 2 | (palm.as. and button) and @py<2001 | USPAT; US-PGPUB | 2004/07/09 10:17 |
| - | 7 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 adj3 state)) and ((free\$4 or releas\$4 or relinquish\$4) adj3 memor\$4) | USPAT; US-PGPUB | 2004/07/09 11:07 |
| - | 1 | ((task or program or application or process) adj switch\$4) same ((free\$4 or releas\$4 or relinquish\$4) adj memor\$3) same ((stor\$4 or sav\$4 or preserv\$4) adj3 state) | USPAT; US-PGPUB; EPO; JPO | 2004/07/19 15:52 |
| - | 1 | ((task or program or application or process or context) adj3 switch\$4) same ((free\$4 or releas\$4 or relinquish\$4) adj3 memor\$3) same ((stor\$4 or sav\$4 or preserv\$4) adj3 state) | USPAT; US-PGPUB; EPO; JPO | 2004/07/09 11:15 |
| - | 0 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 adj3 state)) and ((task or program or application) with switch\$4) | USPAT; US-PGPUB | 2004/07/09 11:24 |
| - | 78 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 adj3 state)) and ((task or program or application or process or context) adj6 switch\$4) | USPAT; US-PGPUB | 2004/07/09 11:27 |
| - | 75 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 adj3 state)) and ((task or program or application or process or context) adj5 switch\$4) | USPAT; US-PGPUB | 2004/07/09 11:27 |
| - | 61 | "I75" and memor\$4 | USPAT; US-PGPUB | 2004/07/09 13:44 |
| - | 12 | ("3789365" "4954948" "5008812" "5193158" "5390329" "5428779" "5594905" "5613114" "5627745" "5727211" "5799143" "5799188").PN. | USPAT | 2004/07/09 11:36 |
| - | 10 | ("3789365" "3905025" "4152761" "4642756" "4736318" "4954948" "5193189" "5339425" "5465335" "5469571").PN. | USPAT | 2004/07/09 11:37 |
| - | 81 | 3905025.URPN. | USPAT | 2004/07/09 11:38 |
| - | 5 | 6061711.URPN. | USPAT | 2004/07/09 11:39 |
| - | 0 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 adj3 state)).ab. | USPAT; US-PGPUB | 2004/07/09 13:46 |
| - | 0 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 adj3 (state or information or location))).ab. | USPAT; US-PGPUB | 2004/07/09 13:47 |
| - | 0 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 with (state or information or location))).ab. | USPAT; US-PGPUB | 2004/07/09 13:47 |
| - | 57 | (718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 with (state or information or location)).ab. | USPAT; US-PGPUB | 2004/07/09 14:28 |
| - | 0 | (718/108.ccls. and @py<2001) and (pda or pocket adj pc or handheld adj device or personal adj digital adj assistant) | USPAT; US-PGPUB | 2004/07/09 14:29 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 7 | 718/108.ccls. and (pda or (pocket adj pc) or (handheld adj device) or (personal adj digital adj assistant)) | USPAT; US-PGPUB | 2004/07/19 11:00 |
| - | 2 | 718/108.ccls. and (palm\$5) | USPAT; US-PGPUB | 2004/07/09 14:35 |
| - | 7 | ((pda or (pocket adj pc) or (handheld adj device) or (personal adj digital adj assistant) or (palm\$6 adj device)) with ((task or program or application or process or context) near4 switch\$4)) and @py<2001 | USPAT; US-PGPUB | 2004/07/09 14:53 |
| - | 22 | (task near3 switching) with (state near (sav\$4 or stor\$4 or preserv\$5)) | USPAT; US-PGPUB | 2004/07/09 16:01 |
| - | 581 | ((task or program or application or process) near3 switch\$4) same ((stor\$4 or sav\$4 or preserv\$4) near3 state) | USPAT; US-PGPUB; EPO; JPO | 2004/07/19 13:57 |
| - | 23 | ((task or program or application or process) near3 switch\$4) same ((stor\$4 or sav\$4 or preserv\$4) near3 state)) and (pda or (pocket adj pc) or (handheld adj device) or (personal adj digital) or palm) | USPAT; US-PGPUB; EPO; JPO | 2004/07/09 16:10 |
| - | 261 | 718/108.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 09:20 |
| - | 116 | 718/108.ccls. and @py<2001 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 09:21 |
| - | 114 | (718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 with (state)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 10:05 |
| - | 62 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 with (state))) and (context with switch\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 09:49 |
| - | 31 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 with (state))) and (context with switch\$4)) and ((jump or next or previous or return) with program) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 09:49 |
| - | 114 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 with (state))) and (task or program or application or context with switch\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 10:41 |

| | | | | |
|---|------|---|---|---------------------|
| - | 52 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 with (state))) and (task or program or application or context with switch\$4) and ((jump or next or previous or return) with program) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 10:41 |
| - | 85 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 with (state))) and (task or program or application or context with switch\$4) and ((jump or next or previous or return) with (task or program or application or context)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 10:43 |
| - | 66 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 with (state))) and (task or program or application or context with switch\$4) and ((jump or next or previous or return) near3 (task or program or application or context)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 13:49 |
| - | 6 | ((718/108.ccls. and @py<2001) and (stor\$4 or sav\$4 or preserv\$7 with (state))) and (task or program or application or context with switch\$4) and ((jump or next or previous or return) near3 (task or program or application or context))) and (pda or pocket adj pc or handheld or personal adj digital adj assistant or palm or portable or mobile or organizer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/20 15:35 |
| - | 72 | (pda or (pocket adj pc) or (handheld adj device) or (personal adj digital adj assistant) or (palm\$6 adj device)) with ((task or program or application or process or context) near4 switch\$4) | USPAT; US-PGPUB | 2004/07/19 14:15 |
| - | 8904 | ((task or program or application or context) near2 switch\$4).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 15:53 |
| - | 271 | ((task or program or application or context) near2 switch\$4).ab. and ((stor\$4 or sav\$4 or perserv\$5 or restor\$4) near2 state) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 15:58 |
| - | 170 | ((task or program or application or context) near2 switch\$4).ab. and ((stor\$4 or sav\$4 or perserv\$5 or restor\$4) near2 state) and @py<2001 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 15:58 |
| - | 101 | ((task or program or application or context) near2 switch\$4).ab. and ((stor\$4 or sav\$4 or perserv\$5 or restor\$4) near2 state) and @py<2001 and (pda or (pocket adj pc) or (handheld adj device) or (personal adj digital adj assistant) or palm\$6 or (mobile adj device) or (organizer) or (portable adj device) or device) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 16:39 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 463 | (pda or (pocket adj pc) or (handheld adj device) or (personal adj digital adj assistant) or palm\$6 or (mobile adj device) or (organizer) or (portable adj device) or device) and ((task or program or application or context) near2 switch\$4) near2 (button or key) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 16:41 |
| - | 295 | (pda or (pocket adj pc) or (handheld adj device) or (personal adj digital adj assistant) or palm\$6 or (mobile adj device) or (organizer) or (portable adj device) or device) and ((task or program or application or context) near2 switch\$4) near2 (button or key) and @py<2001 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 16:41 |
| - | 295 | ((pda or (pocket adj pc) or (handheld adj device) or (personal adj digital adj assistant) or palm\$6 or (mobile adj device) or (organizer) or (portable adj device) or device) and ((task or program or application or context) near2 switch\$4) near2 (button or key)) and @py<2001 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 16:41 |
| - | 293 | ((pda or (pocket adj pc) or (handheld adj device) or (personal adj digital adj assistant) or (palm?sized) or (mobile adj device) or (organizer) or (portable adj device) or device) and ((task or program or application or context) near2 switch\$4) near2 (button or key)) and @py<2001 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 16:42 |
| - | 7 | ((pda or (pocket adj pc) or (handheld adj device) or (personal adj digital adj assistant) or (palm?sized) or (mobile adj device) or (organizer) or (portable adj device)) and ((task or program or application or context) near2 switch\$4) near2 (button or key)) and @py<2001 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/19 16:42 |
| - | 7 | ("4453217" "5189632" "5267308" "5604492" "5675324" "5689547" "5715395").PN. | USPAT | 2004/07/20 12:05 |
| - | 8 | ("5173688" "5221838" "5223831" "5258739" "5363377" "5394140" "5430439" "5436619").PN. | USPAT | 2004/07/20 12:06 |
| - | 191 | 5221838.URPN. | USPAT | 2004/07/20 12:06 |
| - | 0 | 6516996.URPN. | USPAT | 2004/07/20 12:06 |
| - | 1 | | USPAT | 2004/07/20 12:07 |
| - | 1 | | USPAT | 2004/07/20 12:07 |
| - | 1 | | USPAT | 2004/07/20 12:07 |
| - | 1 | | USPAT | 2004/07/20 12:07 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 1 | | USPAT | 2004/07/20 12:08 |
| - | 1 | | USPAT | 2004/07/20 12:08 |
| - | 9 | 718/108.ccls. and ((task or program or application or context) near3 switch\$4) same ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3) near3 (memor\$3 or register or stack or cache)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/20 16:29 |
| - | 281 | ((task or program or application) near3 switch\$4) same ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3) near3 (memor\$3 or register or stack)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/20 15:41 |
| - | 207 | ((task or program or application) near3 switch\$4) same ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3) near3 (memor\$3 or register or stack)) and @py<2001 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/20 15:51 |
| - | 4 | 718/108.ccls. and ((task or program or application) near3 switch\$4) same ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3) near3 (memor\$3 or register or stack)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/20 15:58 |
| - | 4 | 718/108.ccls. and ((task or program or application) near3 switch\$4) same ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3) near3 (memor\$3 or register or stack or cache)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/20 15:59 |
| - | 44 | 718/108.ccls. and ((task or program or application or context) near3 switch\$4) and ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3) near3 (memor\$3 or register or stack or cache)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/21 09:24 |
| - | 56 | 718/108.ccls. and ((task or program or application or context) near3 switch\$4) and ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3 or overwrit\$4) near3 (memor\$3 or register or stack or cache)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/20 16:56 |
| - | 12 | 718/108.ccls. and ((task or program or application or context) near3 switch\$4) same ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3 or overwrit\$4) near3 (memor\$3 or register or stack or cache)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/20 16:53 |

| | | | | |
|---|----|---|---|---------------------|
| - | 23 | (718/108.ccls. and ((task or program or application or context) near3 switch\$4) and ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3 or overwrit\$4) near3 (memor\$3 or register or stack or cache))) and @py<2001 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/21 10:25 |
| - | 58 | 718/108.ccls. and ((task or program or application or context) near3 switch\$4) and ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3) near3 (memor\$3 or register or stack or cache or resource)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/21 09:25 |
| - | 58 | 718/108.ccls. and ((task or program or application or context) near3 switch\$4) and ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3) near3 (memor\$3 or register or stack or cache or resource)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/21 09:57 |
| - | 26 | 718/108.ccls. and ((task or program or application or context) near3 switch\$4) and ((releas\$3 or free\$3 or relinquish\$3 or reus\$3 or clear\$3 or reclaim\$3 or delet\$3) near3 (memor\$3 or register or stack or cache or resource)) and @py<2001 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/21 12:35 |
| - | 4 | ("5428779" "6134143" "6170997" "6230259").PN. | USPAT | 2004/07/21 10:13 |